

NRNT7.E146487 - Switches, Industrial Control Certified for Canada

Switches, Industrial Control Certified for Canada

[See General Information for Switches, Industrial Control Certified for Canada](#)

IMO PRECISION CONTROLS LTD

E146487

The Interchange Frobisher Way
Hatfield, AL10 9TG UNITED KINGDOM

Investigated to CAN/CSA C22.2 60947-4-1 (2nd Ed);CAN/CSA-C22.2 No.60947-1-13 and CAN/CSA-C22.2 No.60947-4-1-14

Industrial Control Switches Model(s) SI12 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SI16 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SI18 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SI20 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SI25 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SI32 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SI38 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM12 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM16 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM18 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM20 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL-.LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM25 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM32 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM38 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIM38-PEL64R-4B

SIME12 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIME16 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIME18 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIME20 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIME25 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIME32 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SIME38 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

Investigated to CAN/CSA C22.2. No. 14-10

Industrial control switches Model(s) HYD1 110V 1S 110V, TDAA 24VAC/DC 110-240VAC, TDAB 24VAC/DC 110-240VAC

Industrial Control Switches Model(s) TDAS

Industrial control switches Model(s) TDEA 24VAC/DC 110VAC, TDEA 24VAC/DC 230VAC, TDIA 24VAC/DC 110-240VAC

Industrial Control Switches Model(s) TDM10

Industrial control switches Model(s) TDMA 24VAC/DC 110-240VAC, TDMB 24VAC/DC 110-240VAC, TDMC 24VAC/DC 110-240VAC, TDMD-X, TDRA 24VAC/DC 110VAC, TDRA 24VAC/DC 230VAC, TDSB 24VAC/DC 110-240VAC

Industrial Control Switches Model(s) TDSD1

Industrial control switches Model(s) TDSF 110VAC, TDSF 230VAC, TDSF 24VAC/DC, WLC

Investigated to CAN/CSA-C22.2 No.60947-1-13 and CAN/CSA-C22.2 No.60947-4-1-14

Industrial Control Switches Model(s) SI40 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

SI55 followed by -PM64, -PML64, -PM64R, -PMT64, -PMTL64, -SHM, -SHML, -SHML64, -SHM64R, -SHMS, -SHMSR, -BMDC64, -BMDCL64, -BMDCL48, -BMS64R, -BMDC64R, -BMD64R, -DB, -DBS, -DBL, -DBL--LH... or -PEL64R or letters and/or numbers followed by -1, -2, -2H, -3, -4, -5-8, -3H, -4H, -410, -420, -810, -820, -Z1, -Z2, -Z3 or -Z4, may be followed by letters and/or numbers.

Last Updated on 2020-01-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

Reprinted from the Online Certifications Directory with permission from UL